





Tonino Lamborghini

LUXURY SURFACES

"In 1981, I started up my new Tonino Lamborghini Style and Accessories company. At the time I was assisting my father in the family group, but I felt the need to do something exclusively of my own, different from the world of engines. I have always been interested in design and accessories and I took inspiration from my engineering background. I've always loved

And even today in every product I create there must not be missing a detail somehow related to the automotive and engineering heritage of my family. Uncompromising spirit, Italian ingenuity and design - together with the timeless legend of a brand recognized throughout the globe: these are the values that characterize my brand. The mission of my company is clear: to spread the passion and spirit of Italy with unique and distinctive products, inspired by Italian industrial design and the Lamborghini family's story".

A handwritten signature in black ink on a white background. The signature reads "Tonino Lamborghini" in a cursive, flowing script. The "T" in "Tonino" and the "L" in "Lamborghini" are capitalized and have distinct loops. There is a small horizontal line or flourish at the end of the "i" in "Lamborghini".



In order to understand the reasons of this project, we need to go back to the 60s and recall the story of an entrepreneur.

Our maternal grandfather, Giuseppe Gambarelli, who gathered his first resources and founded a small ceramic firm after he spent his youth in sacrifice. The same company which, after years, became a worldwide leader in the ceramic sector.

A history made of tenacity and farsight, the same which incited the extraordinary growth of many companies in our Country.

Today, in a deeply changed world, we launch a project that combines two firms of excellence, GS Luxury group and Tonino Lamborghini, to give life to a line of surfaces designed to be interpreter of the style and the luxury made in Italy.

Dott. Ing. Giuseppe Pozzi

Dott. Tommaso Pozzi



INDEX

EMOTIONAL AREA

10 DEDALO	14 ZEUS	18 ESTORIL	22 KYALAMI
26 SAKHIR	30 SEPANG	34 MARINA BAY	38 NÜRBURGRING
42 LE MANS	46 MONTECARLO	50 INDY	54 SUZUKA
58 SILVERSTONE	62 INTERLAGOS		

TECHNICAL AREA

68 DEDALO	70 ZEUS	72 ESTORIL	76 KYALAMI
80 SAKHIR	84 SEPANG	86 MARINA BAY	92 NÜRBURGRING
96 LE MANS	98 MONTECARLO	100 INDY	102 SUZUKA
104 SILVERSTONE	106 INTERLAGOS		

DEDALO

Inspired by the great architect who, in Greek mythology, built the labyrinth of the Minotaur, this collection recalls an interweaving of shapes and signs that trace a maze. The same collection is strengthened by mattery finishes that, applied on the surface, recall the strength and the human intellect.





DEDALO MILK



ZEUS

Another story inspired by Greek mythology: this collection, rich in signs, strong and virile, is inspired by Zeus, God among the Gods, who, in love with Europe, a young Phoenician princess, turns into a bull to conquer her.

The metallic reflections made on the surface recall its uniqueness, while the scratches in the structure evoke its power.





ESTORIL IVORY



ESTORIL

The fusion of precious marbles and fossil woods, in a game of rich and complex, sophisticated and contemporary colors. The surface that emerges is the perfect synthesis of the Tonino Lamborghini lifestyle





ESTORIL IVORY




KYALAMI

Almost impalpable decorative geometries merged into metal: an unequivocal synthesis of the design by Tonino Lamborghini.





KYALAMI LIGHT



SAKHIR

Charisma, originality, expressive force: these are the dominant elements of Sakhir. Its surface, together with its colors, are essential details of a bold and strongly Italian design.





SAKHIR SAND



SEPANG

A tribute to the ancient art of ceramics: from the expert hands of ceramic masters comes what is most noble in this ancient tradition, one of the symbols of our land. Colors and materials come together to create unique and unrepeatable surfaces.





SEPANG GRIGIO



MARINA BAY

Urban contamination and typical automotive paints meet the strength of ceramics to create a unique product with a strong cosmopolitan appeal.





MARINA BAY BIANCO - MIXCOLOR



NÜRBURGRING

The memory of a timeless design combined with a sophisticated ceramic concept: the result obtained is of an eclectic and charismatic beauty.





NÜRBURGRING BLU



LE MANS

Geometries and patterns with a strong and definite character. A surface with a great personality, able to make unique any kind of room.





LE MANS ACCIAIO



MONTECARLO

A meticulous and careful research on the surface has led to the definition of a vivid luster of wood, combined with a mattery and silky touch.






MONTECARLO NERO




INDY

Scratches and marks on ceramic become interpreters of the speed adrenaline on the road.





INDY GRIGIO - BEIGE



SUZUKA

Great character and communicative power to tell the unparalleled strength of the Bull. The colors, vivid and impactful, emerge from the surface to become protagonists of an unmistakably unique design.





SUZUKA BLU



SILVERSTONE

The cement and its rough and industrial nature tell a story made of engines and mechanics, not to forget the roots and the DNA of the Lamborghini family





SILVERSTONE WHITE



INTERLAGOS


The matter interprets the matter: ceramic that becomes wood and that contains the best of the most sober and refined design, as a style icon.



Carlo Zanellato



INTERLAGOS CHERRY








TECHNICAL
AREA


COFFEE



Cod. TL12DD07
48"x48"

40

MILK



Cod. TL12DD05
48"x48"

40


TECHNICAL DATA

Porcelain stoneware

EN 14411 ANNEX G Bla GL

COLOR BODY PORCELAIN RECTIFIED WALL AND FLOOR


PACKING						
formato size	pc /box	sq.mt /box	kg /box	box /plt	sq.mt /plt	kg /plt
120x120 (48"x48")	2	2,88	40	20	57,60	875



(48"x48") Ret.



SHADE SPECTRUM



WHITE PEARL



Cod. TL12ZE05
48" x48"

40


BLACK PLATINUM



Cod. TL12ZE08
48" x48"

40


BRONZE



Cod. TL12ZE07
48" x48"

40

BLACK DIAMOND



Cod. TL12ZE08
48" x48"

40

TECHNICAL DATA


Porcelain stoneware

EN 14411 ANNEX G Bla GL

COLOR BODY PORCELAIN RECTIFIED WALL AND FLOOR

PACKING

formato size	pc /box	sq.mt /box	kg /box	box /plt	sq.mt /plt	kg /plt
120x120 (48"x48")	2	2,88	40	20	57,60	875



(48"x48") Ret.



PEI 5

V3


R10



1/4"

SHADE SPECTRUM

Moderate



IVORY



40

Cod. TL12ET02
24"x48" Nat.Ret.

48

Cod. TL12ET02L
24"x48" Ret.Lap.

DECORO LOGO



35

Cod. TL12ET2DP
24"x48" Nat.Ret.

35

Cod. TL12ET2DPL
24"x48" Ret.Lap.

FIRMA



35

Cod. TL12ET2F
24"x48" Nat.Ret.

35

Cod. TL12ET2FL
24"x48" Ret.Lap.

DECORO L



35

Cod. TL12ET2SL
24"x48" Nat.Ret.

35

Cod. TL12ET2SLL
24"x48" Ret.Lap.

BEIGE



40

Cod. TL12ET07
24"x48" Nat.Ret.

48

Cod. TL12ET07L
24"x48" Ret.Lap.

DECORO LOGO



35

Cod. TL12ET7DP
24"x48" Nat.Ret.

35

Cod. TL12ET7DPL
24"x48" Ret.Lap.

FIRMA



35

Cod. TL12ET7F
24"x48" Nat.Ret.

35

Cod. TL12ET7FL
24"x48" Ret.Lap.

DECORO L



35

Cod. TL12ET7SL
24"x48" Nat.Ret.

35

Cod. TL12ET7SLL
24"x48" Ret.Lap.

MULTICOLOR



40

Cod. TL12ET00
24"x48" Nat.Ret.

48

Cod. TL12ET00L
24"x48" Ret.Lap.

DECORO LOGO



35

Cod. TL12ET00DP
24"x48" Nat.Ret.

35

Cod. TL12ET00DPL
24"x48" Ret.Lap.

FIRMA



35

Cod. TL12ET00F
24"x48" Nat.Ret.

35

Cod. TL12ET00FL
24"x48" Ret.Lap.

DECORO L



35

Cod. TL12ET00SL
24"x48" Nat.Ret.

35

Cod. TL12ET00SLL
24"x48" Ret.Lap.

DEC. GOLD STRIPE IVORY



35

Cod. TL1 2ET2GS
24"x48" Nat.Ret.

35

Cod. TL1 2ET2GSL
24"x48" Ret.Lap.

DEC. GOLD STRIPE BEIGE



35

Cod. TL1 2ET7GS
24"x48" Nat.Ret.

35

Cod. TL1 2ET7GSL
24"x48" Ret.Lap.

DEC. GOLD STRIPE MULTICOLOR



35

Cod. TL1 2ETOOGS
24"x48" Nat.Ret.

35

Cod. TL1 2ETOOGSL
24"x48" Ret.Lap.

DEC.



35

Cod. TL1 2ET2CR
24"x48" Nat.Ret.

35

Cod. TL1 2ET2CRL
24"x48" Ret.Lap.



35

Cod. TL1 2ET7CR
24"x48" Nat.Ret.

35

Cod. TL1 2ET7CRL
24"x48" Ret.Lap.



35

Cod. TL1 2ETOCCR
60x120 (24"x48") Nat.Ret.

35

Cod. TL1 2ETOCCRL
60x120 (24"x48") Ret.Lap.

TECHNICAL DATA


Porcelain stoneware

EN 14411 ANNEX G Bla GL

COLOR BODY PORCELAIN RECTIFIED WALL AND FLOOR

PACKING

formato size	pc /box	sq.mt /box	kg /box	box /plt	sq.mt /plt	kg /plt
60x120 (24"x48")	2	1,44	33	30	43,20	1005



(24"x48") Ret.



SHADE SPECTRUM

Moderate



LIGHT



40

Cod. TL1 2KY42
24"x48" Nat. Ret.

48

Cod. TL1 2KY42L
24"x48" Ret. Lap.

DECORO LOGO



35

Cod. TL1 2KY42DP
24"x48" Nat. Ret.

35

Cod. TL1 2KY42DPL
24"x48" Ret. Lap.

FIRMA



35

Cod. TL1 2KY42F
24"x48" Nat. Ret.

35

Cod. TL1 2KY42FL
24"x48" Ret. Lap.

DECORO L



35

Cod. TL1 2KY42SL
24"x48" Nat. Ret.

35

Cod. TL1 2KY42SLL
24"x48" Ret. Lap.

COPPER



40

Cod. TL1 2KY47
24"x48" Nat. Ret.

48

Cod. TL1 2KY47L
24"x48" Ret. Lap.

DECORO LOGO



35

Cod. TL1 2KY47DP
24"x48" Nat. Ret.

35

Cod. TL1 2KY47DPL
24"x48" Ret. Lap.

FIRMA



35

Cod. TL1 2KY47F
24"x48" Nat. Ret.

35

Cod. TL1 2KY47FL
24"x48" Ret. Lap.

DECORO L



35

Cod. TL1 2KY47SL
24"x48" Nat. Ret.

35

Cod. TL1 2KY47SLL
24"x48" Ret. Lap.

GREY



40

Cod. TL1 2KY43
24"x48" Nat. Ret.

48

Cod. TL1 2KY43L
24"x48" Ret. Lap.

DECORO LOGO



35

Cod. TL1 2EKY43DP
24"x48" Nat. Ret.

35

Cod. TL1 2KY43DPL
24"x48" Ret. Lap.

FIRMA



35

Cod. TL1 2KY43F
24"x48" Nat. Ret.

35

Cod. TL1 2KY43FL
24"x48" Ret. Lap.

DECORO L



35

Cod. TL1 2KY43SL
24"x48" Nat. Ret.

35

Cod. TL1 2KY43SLL
24"x48" Ret. Lap.

DARK



40

Cod. TL1 2KY48
24"x48" Nat. Ret.

48

Cod. TL1 2KY48L
24"x48" Ret. Lap.

DECORO LOGO



35

Cod. TL1 2KY48DP
24"x48" Nat. Ret.

35

Cod. TL1 2KY48DPL
24"x48" Ret. Lap.

FIRMA



35

Cod. TL1 2KY48F
24"x48" Nat. Ret.

35

Cod. TL1 2KY48FL
24"x48" Ret. Lap.

DECORO L



35

Cod. TL1 2KY48SL
24"x48" Nat. Ret.

35

Cod. TL1 2KY48SLL
24"x48" Ret. Lap.

DECORO FRAME LIGHT



35

Cod. TL1 2KY42DF
24"x48" Nat.Ret.

35

Cod. TL1 2KY42DFL
24"x48" Ret.Lap.

DECORO FRAME COPPER



35

Cod. TL1 2KY47DF
24"x48" Nat.Ret.

35

Cod. TL1 2KY47DFL
24"x48" Ret.Lap.

DECORO FRAME GREY



35

Cod. TL1 2KY43DF
24"x48" Nat.Ret.

35

Cod. TL1 2KY43DFL
24"x48" Ret.Lap.

DECORO FRAME DARK



35

Cod. TL1 2KY48DF
24"x48" Nat.Ret.

35

Cod. TL1 2KY48DFL
24"x48" Ret.Lap.

TECHNICAL DATA


Porcelain stoneware

EN 14411 ANNEX G Bla GL

COLOR BODY PORCELAIN RECTIFIED WALL AND FLOOR

PACKING

formato size	pc /box	sq.mt /box	kg /box	box /plt	sq.mt /plt	kg /plt
60x120 (24"x48")	2	1,44	33	30	43,20	1005
60x120 (24"x48")	2	-	33	30	43,20	1005



(24"x48") Rett. Lap.



SHADE SPECTRUM

Moderate



ZAPHIR



40

Cod. TL12KH06R
24"x48" Nat.Ret.

48

Cod. TL12KH06
24"x48" Ret.Lap.

DECORO LOGO



35

Cod. TL12KH6RD
24"x48" Nat.Ret.

35

Cod. TL12KH6DP
24"x48" Ret.Lap.

FIRMA



35

Cod. TL12KH6RF
24"x48" Nat.Ret.

35

Cod. TL12KH6F
24"x48" Ret.Lap.

DECORO L



35

Cod. TL12KH6RL
24"x48" Nat.Ret.

35

Cod. TL12KH6SL
24"x48" Ret.Lap.

DECORO PATCHWORK



35

Cod. TL12KH06RP
24"x48" Nat.Ret.

35

Cod. TL12KH06P
24"x48" Ret.Lap.

DECORO PLATINUM NET



35

Cod. TL12KH6RPN
24"x48" Nat.Ret.

35

Cod. TL12KH6PN
24"x48" Ret.Lap.

SAND



40

Cod. TL1 2KH05R
24"x48" Nat.Ret.

48

Cod. TL1 2KH05
24"x48" Ret.Lap.

DECORO LOGO



35

Cod. TL1 2KH5DP
24"x48" Nat.Ret.

35

Cod. TL1 2KH5DP
24"x48" Ret.Lap.

FIRMA



35

Cod. TL1 2KH5RF
24"x48" Nat.Ret.

35

Cod. TL1 2KH5F
24"x48" Ret.Lap.

DECORO L



35

Cod. TL1 2KH5RL
24"x48" Nat.Ret.

35

Cod. TL1 2KH5SL
24"x48" Ret.Lap.

DECORO PATCHWORK



35

Cod. TL1 2KH05RP
24"x48" Nat.Ret.

35

Cod. TL1 2KH05P
24"x48" Ret.Lap.

DECORO PLATINUM NET



35

Cod. TL1 2KH5PN
24"x48" Nat.Ret.

35

Cod. TL1 2KH5PN
24"x48" Ret.Lap.

RAMINA



40

Cod. TL1 2KH04R
24"x48" Nat.Ret.

48

Cod. TL1 2KH04
24"x48" Ret.Lap.

DECORO LOGO



35

Cod. TL1 2KH4RD
24"x48" Nat.Ret.

35

Cod. TL1 2KH4DP
24"x48" Ret.Lap.

FIRMA



35

Cod. TL1 2KH4RF
24"x48" Nat.Ret.

35

Cod. TL1 2KH4F
24"x48" Ret.Lap.

DECORO L



35

Cod. TL1 2KH4RL
24"x48" Nat.Ret.

35

Cod. TL1 2KH4SL
24"x48" Ret.Lap.

DECORO PATCHWORK



35

Cod. TL1 2KH04RP
24"x48" Nat.Ret.

35

Cod. TL1 2KH04P
24"x48" Ret.Lap.

DECORO PLATINUM NET



35

Cod. TL1 2KH4RPN
24"x48" Nat.Ret.

35

Cod. TL1 2KH4PN
24"x48" Ret.Lap.

TECHNICAL DATA


Porcelain stoneware

EN 14411 ANNEX G Bla GL


COLOR BODY PORCELAIN RECTIFIED WALL AND FLOOR

PACKING

formato size	pc /box	sq.mt /box	kg /box	box /plt	sq.mt /plt	kg /plt
60x120 (24"x48")	2	1,44	33	30	43,20	1005
60,5x121 (24"x48")	2	1,46	33	30	43,80	1005



SHADE SPECTRUM




BIANCO



35

Cod. TL25SP12
10"x10" nat. Ret.

GRIGIO



35

Cod. TL25SP17
10"x10" nat. Ret.

NERO



35

Cod. TL25SP18
10"x10" nat. Ret.

DECORO PEARL



27

Cod. TL25SP12DL
10"x10" nat. Ret.

DECORO SILVER



27

Cod. TL25SP17DL
10"x10" nat. Ret.

DECORO BLACK



27

Cod. TL25SP18DL
10"x10" nat. Ret.

DECORIMATISSE



35

A
Cod. TL25SP00DA
10"x10" nat. Ret.



35

B
Cod. TL25SP00DB
10"x10" nat. Ret.



35

C
Cod. TL25SP00DC
10"x10" nat. Ret.


DECORO LOGO



27

Cod. TL25SP50
10"x10" nat. Ret.

DECORI KLIM



27

Cod. TL25SP00KL
10"x10" nat. Ret.

* Product sold in complete boxes

These materials are hand made, imperfection on the surface or slight differences in shade are peculiarity and guarantee of areal artistic production.

TECHNICAL DATA

Porcelain stoneware

EN 14411 ANNEX G Bla GL



COLOR BODY PORCELAIN RECTIFIED WALL AND FLOOR

PACKING

formato size	pc /box	sq.mt /box	kg /box	box /plt	sq.mt /plt	kg /plt
25x25 (10"x10")	16	1	20,8	60	60	1263




R10



(10"x10") Nat. Ret.

SHADE SPECTRUM

High



PETROLIO



40

Cod. TL45MB06
18'x36' Nat.Ret.

DECORO LOGO



35

Cod. TL45MB6DP
18'x36' Nat.Ret.

FIRMA



35

Cod. TL45MB6F
18'x36' Nat.Ret.

DECORO L



35

Cod. TL45MB6SL
18'x36' Nat.Ret.



40

Cod. TL22MB06
9'x36' Nat.Ret.



35

Cod. TL22MB6DP
9'x36' Nat.Ret.



35

Cod. TL22MB6F
9'x36' Nat.Ret.

DECORO MOONLIGHT



35

Cod. TL45MB06ML
18'x36' Nat.Ret.

DECORO LOGO



27

Cod. TL22MC50
9'x9' Ret.

* Product sold in complete boxes

These materials are hand made, imperfection on the surface or slight differences in shade are peculiarity and guarantee of areal artistic production.

MIXCOLOR



40

Cod. TL45MB00
18'x36' Nat.Ret.

DECORO LOGO



35

Cod. TL45MB00DP
18'x36' Nat.Ret.

FIRMA



35

Cod. TL45MB00F
18'x36' Nat.Ret.

DECORO L



35

Cod. TL45MB00 SL
18'x36' Nat.Ret.



40

Cod. TL22MB00
9'x36' Nat.Ret.



35

Cod. TL22MB00DP
9'x36' Nat.Ret.



35

Cod. TL22MB00F
9'x36' Nat.Ret.

DECORO MOONLIGHT



35

Cod. TL45MB0ML
18'x36' Nat.Ret.

DECORO LOGO



27

Cod. TL22MC50
9'x9' Ret.

* Product sold in complete boxes

These materials are hand made, imperfection on the surface or slight differences in shade are peculiarity and guarantee of areal artistic production.

BIANCO



40

Cod. TL45MB05
18" x36" Nat.Ret.

DECORO LOGO



35

Cod. TL45MB5DP
18" x36" Nat.Ret.

FIRMA



35

Cod. TL45MB5F
18" x36" Nat.Ret.

DECORO L



35

Cod. TL45MB5SL
18" x36" Nat.Ret.



40

Cod. TL22MB05
9" x36" Nat.Ret.



35


Cod. TL22MB5DP
9" x36" Nat.Ret.



35

Cod. TL22MB5F
9" x36" Nat.Ret.

DECORO MOONLIGHT



35

Cod. TL45MB06ML
18" x36" Nat.Ret.

DECORO LOGO




27

Cod. TL22MC50
9" x9" Ret.

* Product sold in complete boxes

These materials are hand made, imperfection on the surface or slight differences in shade are peculiarity and guarantee of areal artistic production.

NERO



40

Cod. TL45MB08
18'x36' Nat.Ret.

DECORO LOGO



35

Cod. TL45MB80P
18'x36' Nat.Ret.


FIRMA



35

Cod. TL45MB8F
18'x36' Nat.Ret.

DECORO L



35

Cod. TL45MB8L
18'x36' Nat.Ret.



40

Cod. TL22MB08
9'x36' Nat.Ret.



35

Cod. TL22MB80P
9'x36' Nat.Ret.



35

Cod. TL22MB8F
9'x36' Nat.Ret.

DECORO MOONLIGHT



35

Cod. TL45MB08ML
18'x36' Nat.Ret.

DECORO LOGO



27

Cod. TL22MC50
9'x9' Ret.

* Product sold in complete boxes

These materials are hand made, imperfection on the surface or slight differences in shade are peculiarity and guarantee of areal artistic production.



TECHNICAL DATA

Porcelain stoneware

EN 14411 ANNEX G Bla GL


COLOR BODY PORCELAIN RECTIFIED WALL AND FLOOR

PACKING

formato size	pc /box	sq.mt /box	kg /box	box /plt	sq.mt /plt	kg /plt
22,5x90 (9"x36")	6	1,22	24,50	32	39,04	799
45x90 (18"x36")	3	1,22	24,50	32	39,04	799



(18"x36") Ret.



(9"x36") Ret.



SHADE SPECTRUM

High



GRIGIO



48

Cod. TL12NU03A
48" x 48" Ret.



48

Cod. TL60NU03A
24" x 48" Ret.

Cod. TL12NU03AL
48" x 48" Ret. Lap.

FIRMA



75

Cod. TL12NU03AF
48" x 48" Ret.

LOGO LASER



75

Cod. TL12NU03AD
48" x 48" Ret.

DECORO LOGO



27

Cod. TL80TR500
8" x 8" Ret.

* Product sold in complete boxes

These materials are hand made, imperfection on the surface or slight differences in shade are peculiarity and guarantee of areal artistic production.

BLU



48

Cod. TL12NU06A
48"x48" Ret.



48

Cod. TL60NU06A
24"x48" Ret.

FIRMA



75

Cod. TL12NU06AF
48"x48" Ret.

LOGO LASER



75

Cod. TL12NU06AD
48"x48" Ret.

DECORO LOGO



27

Cod. TL80TR500
8"x8" Ret.

* Product sold in complete boxes

These materials are hand made, imperfection on the surface or slight differences in shade are peculiarity and guarantee of areal artistic production.



40

Cod. TLPTNU01

4Pz. 48" x 48" = 96" x 96"

PATTERN amq

dimension on request

Each piece is numbered coming with assembly
scheme

TECHNICAL DATA


Porcelain stoneware

EN 14411 ANNEX G Bla GL


COLOR BODY PORCELAIN RECTIFIED WALL AND FLOOR

PACKING

formato size	pc /box	sq.mt /box	kg /box	box /plt	sq.mt /plt	kg /plt
120x120 (48"x48")	1	1,44	34	36	51,84	1239
60x120 (24"x48")	2	1,44	34	36	51,84	1239



(48"x48") Ret.



(48"x48") Ret.



SHADE SPECTRUM

Moderate




ACCIAIO



37

Cod. TL7SLM03
30"x30" Ret.

FIRMA



27

Cod. TL7SLM03F
30"x30" Ret.


LOGO LASER



48

Cod. TL7SLM03DL
30"x30" Ret.

DECORO TRACE



48

Cod. TL7SLM3TAR
30"x30" Nat. Ret.


DECORO LOGO



27

Cod. TL15MC50
6"x6" Ret.


ACCIAIO BUBBLE



48

Cod. TL7SLM11
30"x30" Ret.


ACCIAIO BUBBLE FIRMA



27

Cod. TL7SLM11F
30"x30" Ret.


LOGO LASERACCIAIO BUBBLE



48

Cod. TL7SLM11DL
30"x30" Ret.

DECORO BUBBLE TRACE



48

Cod. TL7SLM11TR
30"x30" Nat Ret.

DECORO LOGO



27

Cod. TL15MC50
6"x6" Ret.

TECHNICAL DATA


Porcelain stoneware

EN 14411 ANNEX G Bla GL

COLOR BODY PORCELAIN RECTIFIED WALL AND FLOOR

PACKING

formato size	pc /box	sq.mt /box	kg /box	box /plt	sq.mt /plt	kg /plt
75x75 (30"x30")	2	1,125	24,72	42	47,25	1053,24




(30"x30") Ret.



SHADE SPECTRUM

Moderate



ROSSO



37



37

Cod. TL22MC01
9'x36' Ret.

Cod. TL15MC01
6'x36' Ret.

DECORO D



27



27

Cod. TL22MC01 D
9'x36' Ret.

Cod. TL15MC01 D
6'x36' Ret.

DECORO SUNSET



27

DECORO LOGO



27

Cod. TL22MC50
9"x9" Ret.



27

Cod. TL15MC50
6"x6" Ret.

BIANCO



37



37

Cod. TL22MC05
9'x36' Ret.Lap.

Cod. TL15MC05
6'x36' Ret.Lap.

DECORO D



27



27

Cod. TL22MC05 D
9'x36' Ret.Lap.

Cod. TL15MC05 D
6'x36' Ret.Lap.

DECORO SUNSET



27

Cod. TL22MC00SN
9'x36' Nat. Ret.

NERO



37



37

Cod. TL22MC08
9'x36' Ret.Lap.

Cod. TL15MC08
6'x36' Ret.Lap.

DECORO D



27



27

Cod. TL22MC08 D
9'x36' Ret.Lap.

Cod. TL15MC08 D
6'x36' Ret.Lap.

DECORO SUNSET



27

Cod. TL22MC00SN
9'x36' Nat. Ret.

* Product sold in complete boxes

These materials are hand made, imperfection on the surface or slight differences in shade are peculiarity and guarantee of areal artistic production.

TECHNICAL DATA


Porcelain stoneware

EN 14411 ANNEX G Bla GL

COLOR BODY PORCELAIN RECTIFIED WALL AND FLOOR

PACKING

formato size	pc /box	sq.mt /box	kg /box	box /plt	sq.mt /plt	kg /plt
22,5x90 (9"x36")	6	1,22	27,6	32	39,04	898,2
15x90 (6"x36")	9	1,22	26,1	48	58,56	1267,8



PEI 4


R9



3/8"

SHADE SPECTRUM

High



NERO



27
Firma
Cod. TL20ID08
Lato 8'


GRIGIO



27
Cod. TL20ID03
Lato 8'

27
Firma
Cod. TL20ID3F
Lato 8'

RED



35
Cod. TL20ID01
Lato 8'

27
Firma
Cod. TL20ID1F
Lato 8'

BIANCO



27
Cod. TL20ID05
Lato 8'

27
Firma
Cod. TL20ID5F
Lato 8'


BEIGE



27
Cod. TL20ID02
Lato 8'


27
Firma
Cod. TL20D2F
Lato 8'

ROSSO



35
Cod. TL20PR01
Lato 8'

BLU



35
Cod. TL20PR06
Lato 8'

GIALLO



35
Cod. TL20PR09
Lato 8'

DECOROLOGO TL



40
Cod. TL20ID80
Lato 8'

* Product sold in complete boxes

These materials are hand made, imperfection on the surface or slight differences in shade are peculiarity and guarantee of areal artistic production.

TECHNICAL DATA

Porcelain stoneware

EN 14411 ANNEX G Bla GL

COLOR BODY PORCELAIN RECTIFIED WALL AND FLOOR



PACKING

formato size	pc /box	sq.mt /box	kg /box	box /plt	sq.mt /plt	kg /plt
25x25 (10"x10")	9	0,94	21,5	48	45,12	1047



SHADE SPECTRUM

Low



BIANCO



35

Cod. TL15SK05
6'x6'

ROSSO



35

Cod. TL15SK07
6'x6'

BLU



35

Cod. TL15SK06
6'x6'

GIALLO



35

Cod. TL15SK09
6'x6'

DECORO LOGO



27

Cod. TL15MC50
6'x6'

* Product sold in complete boxes

These materials are hand made, imperfection on the surface or slight differences in shade are peculiarity and guarantee of areal artistic production.

TECHNICAL DATA

Porcelain stoneware

EN 14411 ANNEX G Bla GL

COLOR BODY PORCELAIN RECTIFIED WALL AND FLOOR


PACKING

formato size	pc /box	sq.mt /box	kg /box	box /plt	sq.mt /plt	kg /plt
15x15 (6"x6")	48	1,08	21,60	60	64,80	1311



PEI 4

R7




3/8"



(6"x6")Ret.

SHADE SPECTRUM

High



WHITE



40

Cod. TL12SV45L
24"x48" Nat.Ret.

Cod. TL12SV45L
24"x48" Ret.Lap.

FIRMA



35

Cod. TL12SV45F
24"x48" Nat.Ret.

Cod. TL12SV45FL
24"x48" Ret.Lap.

DECOROL




35

Cod. TL12SV45SL
24"x48" Nat.Ret.

Cod. TL12SV45SLL
24"x48" Ret.Lap.

SILVER




40

Cod. TL12SV43
24"x48" Nat.Ret.

Cod. TL12SV43L
24"x48" Ret.Lap.

FIRMA



35

Cod. TL12SV43F
24"x48" Nat.Ret.

Cod. TL12SV43FL
24"x48" Ret.Lap.

DECOROL



35

Cod. TL12SV43SL
24"x48" Nat.Ret.

Cod. TL12SV43SLL
24"x48" Ret.Lap.

TECHNICAL DATA


Porcelain stoneware

EN 14411 ANNEX G Bla GL


COLOR BODY PORCELAIN RECTIFIED WALL AND FLOOR

PACKING

formato size	pc /box	sq.mt /box	kg /box	box /plt	sq.mt /plt	kg /plt
60x120 (24"x48")	2	1,44	33	30	43,20	1005



(24"x48") Ret.



SHADE SPECTRUM

Moderate



OAK



40

Cod. TL80TR01A
8'x72' Ret.

FIRMA



70

Cod. TL80TR01AFN
8'x72' Ret.

MAPLE



40

Cod. TL80TR02A
8'x72' Ret.

FIRMA



70

Cod. TL80TR02AFN
8'x72' Ret.

CHERRY



40

Cod. TL80TR03A
8'x72' Ret.

FIRMA



70

Cod. TL80TR03AFN
8'x72' Ret.

DECORO LOGO



27

Cod. TL80TR50D
8'x8' Ret.

* Product sold in complete boxes
These materials are hand made, imperfection on the surface or slight differences in shade are peculiarity and guarantee of areal artistic production.

TECHNICAL DATA

Porcelain stoneware

EN 14411 ANNEX G Bla GL


COLOR BODY PORCELAIN RECTIFIED WALL AND FLOOR

PACKING

formato size	pc /box	sq.mt /box	kg /box	box /plt	sq.mt /plt	kg /plt
20x180 (8"x72")	4	1,44	34,03	40	57,6	1411,2



R9




SHADE SPECTRUM



(8"x72") Ret.

Moderate



CARATTERISTICHE TECNICHE TECHNICAL DATA TECHNISCHE DATEN CARACTÉRISTIQUES TECHNIQUES	NORME NORMS NORM NORMES	VALORE PRESCRITTO DALLE NORME VALUE REQUIRED BY THE NORMS NORMVORGABE VALEUR PRESCRITE PAR LES NORMES	VALORI VALUE WERT VALEUR
 Dimensioni Sizez Abmessungen Dimensions	UNI EN ISO 10545-2	Larghezza e lunghezza $\pm 0,6\%$ max Spessore $\pm 0,5\%$ max Rettilinietà spigoli $\pm 0,5\%$ max Ortogonalità $\pm 0,6\%$ max Planarità $\pm 0,5\%$ max	Conforme According - Gemäß - Conforme Solo per la 1^a scelta Only for the 1 st choice Nur für die erste Wahl Seulement pour la 1 ^{re} choix
 Assorbimento% Acqua Water Absorption % Wasseraufnahme % Absorption d'eau %	UNI EN ISO 10545-3	$\leq 0,5\%$	0,1%
 Resistenza alla flessione Breaking Strength Biegezugfestigkeit Resistance à la flexion	UNI EN ISO 10545-4	$\geq 35 \text{ N/mm}^2$	$\geq 37 \text{ N/mm}^2$
 Resistenza al gelo Frost resistance Frosteständigkeit Resistance au gel	UNI EN ISO 10545-12	Nessun campione deve presentare alterazioni sulla superficie No sample must show alteration to surface Die Muster dürfen weder Bruch noch Schäden an der Oberfläche aufweisen Les échantillons ne doivent pas présenter de ruptures ou d'alterations considérables de la surface	Non gelivo Frost proof Frostsicher Non gélifs
 Resistenza all'attacco chimico Chemical resistance Beständigkeit gegen chemikalien Resistance à l'attaque chimique	UNI EN ISO 10545-13	Prodotti di uso domestico Domestic cleaners Acidi e Basi Acids and Bases	GB GLB GA GLA
 Resistenza alle macchie Stain resistance Flacken beständigkeit Résistance au tâches	UNI EN ISO 10545-14	1 5 5	
 Dilatazione termica (da +20° Ca +100°C) Chemical resistance Beständigkeit gegen chemikalien Resistance a l'attaque chimique	UNI EN ISO 10545-8	$\leq 9 \times 10^{-6} \text{ }^{\circ}\text{C}^{-1}$	$8,5 \times 10^{-6} \text{ }^{\circ}\text{C}^{-1}$
 Resistenza agli sbalzi termici Thermal shock resistance Temperaturwechsel beständigkeit Resistance aux écarts de température	UNI EN ISO 10545-9	I campioni non devono presentare difetti visibili No samples must show visible defects Kein Exemplare soll sichtbare Schäden aufweisen Les échantillons ne doivent pas présenter de défauts visibles	Resistenti Resistant Widerstandsfähig Résistants
 Inalterabilità dei colori alla luce (raggiUV) Colour inalterability, after exposition to UV rays Lichtechtheit der färbung (UV-Beständigkeit) Inalterabilite des couleurs a la lumière UV	DIN 51094	Non devono presentare apprezzabili variazioni di colore No noticeable colour changes Die Muster dürfen keine sichtbaren Farbveränderungen aufweisen Les échantillons ne doivent pas présenter de variations importantes des couleurs	Nessuna alterazione No change in colour Keine Veränderung Aucune altération
 Coefficiente d'attrito medio (valore inteso per materiali non levigati) Average coefficient of friction Mittlerer reibungswert Coefficient of friction moyent	ASTM C1028 B.C.R.A. DIN51130	Dry Wet Dry Wet Cd Pb	>= 0,60 0,70 >= 0,60 0,70 >= 0,60
 Cessione Cd Pb Cession of Cadmium and Lead Aufloesung von Cadmium und Blei Dissolution de Cadmium et Plomb	UNI EN ISO 10545-9		
 Attaccabile agli acidi e alcali, pulire solo con alcool e detergenti neutri Attacked with acid and alkali, only clean with alcohol and detergents Neutral			Articoli contenenti smalti a base oro
V1 LOW V2 MODERATE V3 HIGH V4 SUBSTANTIAL		Variazione di stonalizzazione Color/Shade variation guideline	



Certificazione di sicurezza per la radioattività
Certification of radioactive safety
Certification de sécurité pour la radioactivité
Sicherheitszertifikat fur radioaktive strahlung



Marchio di qualità ecologica europea
European ecologic quality label
Marque de qualité écologique
Europaeische oekologische qualitaetsmarke




CARATTERISTICHE TECNICHE TECHNICAL DATA TECHNISCHE DATEN CARACTÉRISTIQUES TECHNIQUES	NORME NORMS NORM NORMES	VALORE PRESCRITTO DALLE NORME VALUE REQUIRED BY THE NORMS NORMVORGABE VALEUR PRESCRITE PAR LES NORMES	VALORI GS VALUE GS WERT GS VALEUR GS
 Dimensioni Sizez Abmessungen Dimensions	UNI EN ISO 10545-2	Larghezza e lunghezza $\pm 0,6\%$ max Spessore $\pm 0,5\%$ max Rettilineità spigoli $\pm 0,5\%$ max Ortogonalità $\pm 0,6\%$ max Planarità $\pm 0,5\%$ max	Conforme According - Gemäß - Conforme Solo per la 1^a scelta Only for the 1 st choice Nur für die erste Wahl Seulement pour le 1^{er} choix
 Assorbimento% Acqua Water Absorption % Wasseraufnahme % Absorption d'eau %	UNI EN ISO 10545-3	$\leq 0,5\%$	0,1%
 Resistenza alla flessione Breaking Strength Biegezugfestigkeit Resistance à la flexion	UNI EN ISO 10545-4	min. 35 N/mm ²	> 35 N/mm ²
 Resistenza al gelo Frost resistance Frosteständigkeit Resistance au gel	UNI EN ISO 10545-12	Nessun campione deve presentare alterazioni sulla superficie No sample must show alteration to surface Die Muster dürfen weder Bruch noch Schäden an der Oberfläche aufweisen Les échantillons ne doivent pas présenter de ruptures ou d'alterations considérables de la surface	Resistenti Resistant Widerstandsfähig Résistants
 Resistenza all'attacco chimico Chemical resistance Beständigkeit gegen chemikalien Resistance à l'attaque chimique	UNI EN ISO 10545-13	Prodotti di uso domestico Domestic cleaners	GB
		Acidi e Basi Acids and Bases	GLB
 Resistenza alle macchie Stain resistance Flacken beständigkeit Résistance aux tâches	UNI EN ISO 10545-14	1	5
 Dilatazione termica (da +20° Ca +100°C) Chemical resistance Beständigkeit gegen chemikalien Resistance à l'attaque chimique	UNI EN ISO 10545-8	$\leq 9 \times 10^{-6} \text{ }^{\circ}\text{C}^{-1}$	$\leq 7 \times 10^{-6} \text{ }^{\circ}\text{C}^{-1}$
 Resistenza agli sbalzi termici Thermal shock resistance Temperaturwechsel beständigkeit Resistance aux écarts de température	UNI EN ISO 10545-9	I campioni non devono presentare difetti visibili No samples must show visible defects Kein Exemplare soll sichtbare Schäden aufweisen Les échantillons ne doivent pas présenter de défauts visibles	Resistenti Resistant Widerstandsfähig Résistants
 Inalterabilità dei colori alla luce (raggiUV) Colour inalterability, after exposition to UV rays Lichtechtheit der färbung (UV-Beständigkeit) Inalterabilité des couleurs à la lumière UV	DIN 51094	Non devono presentare apprezzabili variazioni di colore No noticeable colour change Die Muster dürfen keine sichtbaren Farbveränderungen aufweisen Les échantillons ne doivent pas présenter de variations importantes des couleurs	Nessuna alterazione No change in colour Keine Veränderung Aucune altération
 Coefficiente d'attrito medio (valore inteso per materiali non levigati) Average coefficient of friction Mittlerer reibungswert Coefficient de frottement moyen	ASTM C1028 B.C.R.A. DIN51130	Dry Wet Dry Wet Cd	$\geq 0,60$ $\geq 0,60$ $\geq 0,60$ $\geq 0,60$ $0,07 \text{ mg/dm}^2$
		Pb	$0,80 \text{ mg/dm}^2$ $<0,037 \text{ mg/dm}^2$
 Cessione Cd Pb Cession of Cadmium and Lead Auflösung von Cadmium und Blei Dissolution de Cadmium et Plomb	UNI EN ISO 10545-9		Articoli contenenti smalti a base oro
 Attaccabile agli acidi e alcali, pulire solo con alcool e detergenti neutri Attacked with acid and alkali, only clean with alcohol and detergents Neutral			
 Variazione di stonalizzazione Color/Shade variation guideline	V1 LOW V2 MODERATE V3 HIGH V4 SUBSTANTIAL		



Certificazione di sicurezza per la radioattività
Certification of radioactive safety
Certification de sécurité pour la radioactivité
Sicherheitszertifikat fur radioaktive strahlung



Marchio di qualità ecologica europea
European ecologic quality label
Marque de qualité écologique
Europäische oekologische qualitätsmarke



FINE GLAZED PORCELAIN STONEWARE

Product and manufacturing features

Ceramic tiles in Fine Porcelain Stoneware , uniformly vitrified along its entire thickness and made of an extremely fine and clear mix of precious raw materials with added feldspars and kaolin, obtained by pressing , finished using top quality glazed and made mechanically resistant thanks to a sintherization process at high temperatures.

Ceramic tiles of slabs frost-proof, inabsorbent, and resistant to chemical attack. firing temperature 1230° C.

Compliance with standards

The material complies with the requirements provided for by International uni en 14411 - ISO 13006 Standards, Annex G.These parameters must be maintained and guaranteed by the Quality Management System established by the company and certified by the UNI EN ISO 9001 : 2008 standard. Completely vitrified material belongin to Group Bla - E < 0,5 % Requirements provided for by international UNI EN 14411 - ISO 13006 Standards, Annex G.



Tonino Lamborghini

LUXURY SURFACES



Tonino Lamborghini

LUXURY SURFACES

HINTEX

Exclusively on

www.hintex.com/tonino-lamborghini



www.hintex.com

+1 (844) 404-0440 | info@hintex.com

f o in p y